
African Pegmatite (Pty) Ltd 27 Van Der Bijl Street, PO Box 598, Meyerton 1960 Gauteng, South Africa Email: wenger@pegmatite.co.za reception@pegmatite.co.za Website: www.mineralmilling.com

Tel: +27 016 362 0600/1/2/3/4 Int: +27 16 362 0600 Fax: 016 362 1239

MILLERS & PROCESSORS OF BASE MINERALS



Approved By: EJ Wenger Compiled By: D. Prevoo

Doc No.: DS 012 Rev No.: 05 Page 1 of 1

Data Sheet





Anthracite (Milled) Product:

CHEMICAL ANALYSIS %

Typical: Carbon (Combustible)		80
	Sulphur	8.0

PHYSICAL PROPERTIES:

THOORET NOT ENTIES.				
Screens:	+150µm < 15.0 % max	Kg/m3	+/- 800	
		Moisture	<3.5 %	
		Ash	11.0 – 13.0%	
		Calorific Value	29.0 - 31.0 MJ/Kg	
		Volatile matter	6.0 – 10.0	

APPLICATION:

Reductant in glasses, carbon sources for explosives, solvent extraction for copper processing, colourant in cement, filler in rubber and for exothermic mixes

PACKING:

Packed in 3ply 40kg bags, stretch wrapped on pallets

The information and recommendations in this product data sheet are based on data we believe to be reliable. They are offered in good faith, but do not imply any warranty or performance guarantee, as conditions and methods of use of our products are beyond our control. As such, African Pegmatite, South Africa makes no express or implied warranties of any kind with respect to this product, including but not limited to any implied warranty of merchantability or fitness for a particular Durpose.

We recommend that the user determine whether the products and the information given are appropriate, and that the suitability and performance of our products

are appropriate by testing with its own equipment. Specifications are subject to change without notice.

The information and recommendations given in this product data sheet should not be understood as a recommendation for the use of our products in violation of

any patent or as a license to use any patents of the African Pegmatite Company, South Africa.

Tel: +27 16 362-0600/4 Fax: +27 16 362-1239 Website: www.mineralmilling.com









